

HEADQUARTERS OF AUXILIARY POLICE/ HOMEGUARDS AND
CIVIL DEFENCE J&K JAMMU.

TENDER NOTICE NO. 06 OF 2011

1. For and on behalf of Governor of J&K State, sealed tenders are hereby invited from the manufacturers, approved/authorized dealers, affixing revenue stamp worth Rs 5/- for the supply of **Rescue Equipments as per annexure "A"**. Approved/authorised dealers shall attach valid and authenticated copy of authorization letter of the manufacturers **without which the offer shall be rejected.**

2. The tenders accompanied with samples (in case sample production is not possible, the original catalogue with full specifications) should reach the office of the undersigned on or before 20th January, 2012 upto 1600 hours positively. The offer without sample or catalogue with full specifications shall not be considered. **Only one rate for each items shall be considered, as such the firms shall quote only one rate against each item which shall strictly meet the requirements of the tender.** The tenders should be addressed to **Addl. Director General of Police, Auxiliary Police/ Homeguards & Civil Defence J&K Jammu** and envelopes should be super scribed "**Tender No. 6 of 2011 for Rescue Equipments**". The tender may be sent either by speed post / registered post/courier or delivered personally at the Directorate of Aux. Police/HG & CD, J&K Jammu against proper receipt.

3. The tender will be opened on 23rd January, 2012 at 1100 hours at the Directorate of Aux. Police/HG & CD J&K Jammu in presence of such tenderers who may choose to be present. In case of any unforeseen/ unavoidable circumstances the tenders will be opened on next working day.

4. The intending tenderers shall have to furnish Earnest Money in the shape of CDR/FDR equivalent to 2% of the total value of contract or Rs 1,00,000/- (Rupees one lac) in lump sum pledged to the ADGP HG/CD & Aux. Police J&K Jammu. Failure to furnish the earnest money alongwith tender will make it liable for disqualification. However, J&K Govt. Rules with regard to furnishing of EMD in respect of SSI units (Registered) shall be applicable in letter & spirit. The Govt/Semi- Govt. or similar other concerns, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificates etc. from competent authority supporting their claims.

5. The tender fee has been fixed as Rs 2000/- which should accompany the tender offer in the shape of a crossed demand draft favouring ADGP HG/CD J&K Jammu payable at Jammu. The tender fee is not refundable and the same will be deposited in Govt. Treasury under A/C Head 0070-Other receipts tender fee for the year 2011-12.

...2...

The tender offer will not be considered without tender fee. However, Govt./semi-Govt concerned claiming exemption should append authenticated orders, certificates etc. issued by the competent authority in support of their claim.

6. The approved firms will have to furnish Security Deposit @ 5% of the total value of the contract after receipt of the supply orders in the shape of CDR/FDR pledged to this office which shall be released in due course of time after expiry of the specified warranty. The Earnest Money shall also be adjusted in the Security Deposit on application.

7. The successful tenderers will have to arrange onsite installation and training to the end users as and when asked for.

8. The tenderers shall provide warranty for a minimum period of one year covering all the systems, sub systems .The cost of warranty period will be included in the quoted price. If during the aforesaid period, the said stores be discovered not conforming to the description and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify the goods or such portion thereof as is found to be defective by the purchaser within a reasonable period or such specified period as may be allowed by the purchaser in his discretion on an application made thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods rectified from the date of rectification thereof. In case of failure of the contractor to rectify or replace the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores. The firm shall also furnish the expected life period of each item.

9. **The rates should be quoted inclusive of all taxes, levies, freight, transport and other charges to the place of delivery and stocking at the places of Auxiliary Police Central store Gandhi Nagar Jammu/ Bagat Barzulla Srinagar, as convenient. The present rate of J&K State Entry Tax is 13.5% which shall be reimbursed only against production of original G.R. Rates must be clearly written in figures as well as in words, free from over writings, cuttings and alterations. Rates quoted should be on firm price basis.**

10. The earnest money will be refunded to the unsuccessful tenderers within one month after the acceptance of the contract.

11. The successful tenderers have to supply the items within one month from the date of issue of the supply order.

12. Quality/specification should be categorically mentioned in the tender.

13. The undersigned will have full powers to accept or reject any tender without assigning any reason and without any legal obligation.

...3...

14. All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Jammu and Srinagar and not elsewhere.

15. Payment shall be released by the department against each consignment delivered, inspected, accepted and properly brought on stock in the concerned stock registers of the Department.

16. The tenderer is required to furnish an authenticated copy of latest Sales Tax/VAT/ clearance certificates and PAN and VAT registration certificate(alongwith the tender offer or at the time of payments). This office shall be at liberty to put to scrutiny, verification etc. the Sales tax clearance so furnished by the successful tenderer.

17. The successful tenderer shall have to enter into an agreement on prescribed proforma (immediately after the issue of supply order) with the Department for due performance of the contract which shall be invariably furnished before the supply is made.

18. **Two Bid System:** a) First Cover (Technical Bid) should contain Tender documents duly completed and signed accompanied with Earnest money, Tender Fee, Delivery terms, delivery period to be quoted and all other documents mentioned in the Tender Notice, **BUT WITHOUT INDICATING THE RATES.** Copies of supply orders of any Govt. department/CPMF/State Police Force placed during last three years shall also be enclosed with the **Technical Bid.** This cover may be then sealed properly.

b) Second Cover (Commercial Bid) should contain the **Details of rates, duties, taxes etc. These details should be submitted on their letter pad without any alterations/ over-writings/cuttings.** Then it should also be sealed properly.

c) Third Cover containing both the technical and commercial bids may also be sealed properly.

19. The detailed tender with specification of items is available on our website **www.jkcivildefence.org** which can also be had from Directorate of HG/CD & Aux. Police Gulshan Ground Gandhi Nagar Jammu.

Sd/-

Addl. Director General of Police,
Aux. Police/HG & CD,
J&K Jammu.

No:- Prov-T/Mod/2011-12/14435-36

Dated:- 29-12-2011.

Annexure “A”

S.No	Name of items with specifications	Tentative Quantity
1	Hand Tool Set: (Pliers 8”, Pliers 10”, Vise Grip 10”, Bolt Cutter 14”, Bolt Cutter 30”, Chisel for concrete ½”, Chisel for concrete 1”, Screw Driver Set complete, Hacksaw 12” Tubular with 5 spare blades, Tin Snip 12”, Claw Hammer, Sledge Hammer 5 kg, Carpenter Hammer, level 12”, File flat 12”, Handsaw 24”, Crescent wrench 10”, Crescent Wrench 12”, framing square)	10 sets.
2	Water Jell blankets (8’x6’)- (Appearance- Off-white, translucent, Odor-characteristic Specific gravity- 0.988-1.046, PH- 4.0 – 6.0. Unique multi-purpose product for emergency burn care and fire protection. Size 8’x6’. The packing is as follows: blanket inner bag- extruded polyethylene; knife cut mark on top at each side of bag. Canister- High density polyethylene. The item shall be EN or ISI or equivalent certified.	10 Nos.
3	Exhaust Fan 12” for confined area rescue: Size- 12” (30 cm), Motor-single phase, Power- 2 HP. The item shall be EN or CE or ISI or equivalent certified.	10 Nos.
4	Ventilator & Air Tube 7 meter long: Motor having atleast 0.5 hp motor, Exhaust pipe- 300mm dia, flexible corrugated pipe with push back folding arrangements, 20-22 meter long, used to provide ventilation/exhaust of air from confined area or outside environment and vice-versa. The item shall be EN or CE or ISI or equivalent certified.	10 Nos.
5	Portable Multipurpose Fire Extinguisher: 10 Kg capacity, ISI or equivalent marked complete with all accessories.	20 Nos.
6	Fire Proximity Suit: Moisture barrier- porelle, 3 layer laminate, 120 g/m ² , Thermal barrier, 50% Nomex/ 50% Viscose FR, 250 g/m ² complete with all accessories. The suit shall be CE or EN or equivalent approved.	10 Nos.
7	Breathing Apparatus set with spare cylinder: The self contained, positive pressure and open circuit air breathing apparatus shall be certified for use by the fire fighters for 45 minutes total working duration at 300 bar pressure. Complete with all accessories like backplate with body harness, pressure reducer, face mask, demand valve, pressure guage, hoses, warning whistle, “Y” manifold for additional connections, air cylinder, weight etc. The air cylinders shall be corrosion and impact resistant and made of light alloy. The items shall be EN or equivalent approved.	20 Nos.
8	Tarpaulin 4m x 4m- (Made of water proof canvas cloth, its edges should be secured by stitching a strip of similar cloth or otherwise of 1” width along the periphery of Tarpaulin).	50 Nos.
9	Tarpaulin 6m x 6m- (Made of water proof canvas cloth, its edges should be secured by stitching a strip of similar cloth or otherwise of 1” width along the periphery of Tarpaulin).	50 Nos.
10	Reflective jackets (waterproof): (Fluorescent reddish orange colour full sleeves waterproof jacket with hood. Fitted with 2” glass beard type reflective tape in 2 vertical and 1 horizontal band in front and back same. A patch of 5”x8” reflective tape on back side written with “CIVIL DEFENCE J&K” with black illuminating paint. Size-XXL. The jacket should be made of superior fabric and should be fully water repellent.	500Nos.
11	Medical First Responder Kit with box: Bite sticks, stiff neck collars (short, regular, paediatrics & tall), gauzes, multi-trauma dressings (12”x3”), flexible splints (large, medium & small), bandages kling 3” & 6” (5m roll each), Triangular Bandage 40”x40”, tapes dermical cloth 1” & 2”, latex gloves, masks-CPR, triage ribbons of various colours, sponges, scissors disinfectants, oxygen canula- nasal, air-way oral (60mm, 80mm, 90mm/100mm- set).	50 sets

12	Rope manila: 1” dia 100m roll made from Hessian Fabric with 3 strands laid in S or pattern.	200rolls
13	Rope Nylon: 1” dia 100m roll should be made up of 3 strands, adequate abrasion resistance.	20 rolls
14	Portable Oxygen Cyliner 680 litres; (Oxydose, light weight with accessories). It should be EN or ISI or equivalent certified).	22 Nos.
15	Circular Saw (petrol driven) Light weight, fast cutting rescue tool having ergonomic balanced design for safer operation. Suitable for cutting concrete slab, steel bolt, steel/cast iron pipes, RCC structure, stone etc, powered by air cooled single cylinder petrol engine with blades for cutting metal and concrete and two sets of spare blades. Should be CE or EN approved.	10 Nos.
16	Come along Rescue Type: (1400 Kg capacity)- Come along system should be of steel or hard aluminium alloy consisting three major parts i.e, base, mast & boom to provide safe secure anchorage for confined space entry, exit and rescue work, completely collapsible and portable for easy transportation, corrosion resistant, easy to assemble and dismantle without any tools, EN standard or certification from NABL approved lab for safety factor)	10 Nos.
17	Full Body Harness It should be useful for safe working on heights & protection against fall. The shoulder and thigh straps should be easily identified by two different colours. It should be fabricated for high stock absorbing and impact dispersing capacity while working-before, during and after a fall. It should have a specially designed seat strap for optimum comfort. It should have energy absorbing Dorsal ID. Its Anchor point should be by means of 2 chest attachment triangular-ring and a dorsal attachment triangular – ring. It should have adjustable shoulder and thigh straps. If required it should be available with accessories like Kinetic Energy absorbers, lanyards, Karabiners.	50 Nos.
18	Air Lifting Bag Set with Air Cylinder (10T, 20T, 40 & 60T): The bags should be of multiple layer of Kevlar. Armed construction. While bags up to 26 tons max lift capacity should be square in shape, higher sizes may be rectangular or square in shape. The thickness of the bags should not exceed 30mm. The set of bags should provide lifting options from a minimum of 7 cm for the smallest size to more than 50 cm for the highest size. They should have anti-slip surface to provide good grip and high traction between the bag and surface of object to be lifted as well as when stacked on top of each other. Marking for centring should be provided along with florescent labels at corners for recognition in the night. Each bag should have its own storage bag. Operating pressure 8.0 bars, bursting pressure should not be lower than 32 bars. Testing pressure to be flowed will be 1.5 times the operating pressure. Operating temperature-20 to 80 degrees centigrade. Alongwith all necessary accessories. The item shall be EN or CE certified.	10 Nos.
19	Combination Cutter Spreader:- Heavy duty imported should have a light weight, balanced and ergonomic design with anti slip twist grip handle and safety control. Working pressure should be 630-720 bars. Spreading should be more than 300 mm and force more than 100KN, cutting force should be more than 200KN, pulling force more than 50 KN, weight not more than 17 Kgs, should cut round steel bars more than 25 mm dia, operating temp. -20 to +80 °C. It should be EN or CE approved.	10 Nos.

Sd/-
Addl. Director General of Police,
Aux. Police/HG & CD,
J&K Jammu.