

**HEADQUARTERS OF AUXILIARY POLICE/ HOMEGUARDS AND
CIVIL DEFENCE J&K JAMMU.**

TENDER NOTICE

For and on behalf of Governor of J&K State, sealed tenders are hereby invited from the approved/authorized dealers and registered firms, affixing revenue stamp worth Rs 5/- for the supply of **Civil Defence/SDRF Equipments as per annexure "A"**.

The tenders accompanied with **samples** (in case sample production is not possible, the catalogue with specifications) should reach the office of the undersigned on or before 15th February, 2010 upto 1500 hours positively. The tenders should be addressed to **Inspector General of Police, Auxiliary Police/ Homeguards & Civil Defence J&K Jammu** and envelopes should be super scribed "**Tender for Civil Defence/SDRF Equipments for the year 2009-10**". The tender may be sent either by speed post / registered post/courier or delivered personally at the Directorate of Aux. Police/HG & CD, J&K Jammu against proper receipt.

The tender will be opened on 17th February, 2010 at 1100 hours at the Directorate of Aux. Police/HG & CD J&K Jammu in presence of such tenderers who may choose to be present. In case of any unforeseen/ unavoidable circumstances the tenders will be opened on next working day.

The intending tenderers shall have to furnish Earnest Money in the shape of CDR/FDR equivalent to 5% of the total value of contract pledged to the IGP HG/CD & Aux. Police J&K Jammu. Failure to furnish the earnest money alongwith tender, will make it liable for disqualification. However, J&K Govt. Rules with regard to furnishing of EMD in respect of SSI units (Registered) shall be applicable in letter & spirit. The Govt/Semi- Govt. or similar other concerns, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificates etc. from competent authority supporting their claims.

The tender fee has been fixed as Rs 500/- which should accompany the tender offer in the shape of a crossed demand draft favouring IGP HG/CD J&K Jammu payable at Jammu. The tender fee is not refundable and the same will be deposited in Govt. Treasury under A/C Head 0070-Other receipts tender fee for the year 2009-10. The tender offer will not be considered without tender fee. However, Govt./semi-Govt concerned claiming exemption should append authenticated orders, certificates etc. issued by the competent authority in support of their claim.

The rates should be quoted inclusive of all taxes, levies, freight, transport and other charges to the place of delivery and stocking at the places of Auxiliary Police Central store Gandhi Nagar Jammu/ Bagat Barzulla Srinagar, as convenient.

...2...

The earnest money will be refunded to the unsuccessful tenderers within one month after the acceptance of the contract.

The successful tenderers have to supply the items within one month from the date of issue of the supply order.

Quality/specification should be categorically mentioned in the tender.

The undersigned will have full powers to accept or reject any tender without assigning any reason and without any legal obligation.

Sd/-

Inspector General of Police,
Aux. Police/HG & CD,
J&K Jammu.

No:- Prov-T/2009-10/620-21

Dated:- 19-01-2010.

Annexure- “A”

S.No	Name of equipment	Tentative Req.
1	P.A. System (Open Air)- complete with accessories.	07
2	Fluorescent jackets waterproof- (Fluorescent reddish orange/ lime yellow colour jacket with 50mm glass bead type reflective tape in 2 vertical and 1 horizontal band in front and back same. Front opening and V neck design 100% polyester, 125 gsm made from bright glossy yarn, adhering to EN 471 standard. It shall have excellent colour fastness and should be uv treated. Binding shall be black in colour, 100% polyester fabric. Velcro shall be black 25mm wide and 50mm length positioning vertically for perfect fastening.	80
3	Heavy duty work gloves- (Made of fine leather, flexible. Capable to work with hand held machine)	158
4	Safety goggles-scratch resistant- (Grey/blue. Light weight & safe to wear with impact resistant plastic. Adjustable according to the size of the head, loose enough to pass the sweat)	158
5	Face Shield- Manikin (100 Pcs)- (Rectangular Barrier device used by rescuer when giving mouth-mouth/ mouth-nose ventilation in patients. Size 7”x12” outer synthetic layer and 5’X7” central rectangular sieve like filter of non absorbent white plastic. The outer layer has a central hole of 1.5” dia. Single use disposable in sterile packing)	98
6	Nose Mask- (Shall be provided with oxygen supplied tubing fabricating from latex free material with suitable female end connection. This should have elastic strip to fix over nose with exhale port on either side).	420
7	Ear Plug- (Made of soft eco friendly fiber material, corded)	550
8	Knee Pad cushion 1”- (Made of hard plastic with 1” sponge cushion inside with pair of straps for securing knee pads from injury)	158
9	Hand Tool Set consisting of: (Pliers 8”, vise grip 10”, bolt cutter 30”, chisel ½”, chisel 1”, screw driver set, hacksaw 12” with spare blades, handsaw 24”, claw hammer 4 Kgs, Sledge Hammer 7 Kgs, Carpenter Hammer 3”, File Flat 12”, Crescent Wrench 8”)	21
10	Electric drill- (Shock proof body with different sizes of bits for both metal & wood. Weight- less than 3 Kg, Power input- not more than 600w, 100-2400 rpm)	17
11	Pinch point pry bar 60”- (Made of tempered steel. Length 5.5 feet, 1” diameter/ thickness. Used to align, adjust, move and pry)	34
12	Set of pulley blocks (single, double & triple sheaves)	12
13	Rope manila 2” 100m & 200m- (20-25 mm made from Hessian Fabric with 3 strands laid in sor pattern).	25
14	Tape measure	21
15	Telescopic ladders (Heavy duty Aluminum extension ladder 35 feet long).	08
16	Tarpaulin 4m x 4m- (Made of water proof canvas cloth, its edges should be secured by stitching a strip of similar cloth or otherwise of 1” width along the periphery of Tarpaulin).	38
17	Tarpaulin 6m x 6m- (Made of water proof canvas cloth, its edges should be secured by stitching a strip of similar cloth or otherwise of 1” width along the periphery of Tarpaulin).	21
18	Working lamps - (With bulb holder, wire mesh protection for bulb, handle fully insulated to provide manual grip, cord- PVC wire 6mm 50 mtr length with 2/3 pin plug)	42
19	Extension boards : (With one 15 Amp & two 5 Amp sockets. With 8mm Pvc wire 25 meter long with 2/3 pin plug, with wrapping arrangement on wheel)	21
20	Medical First Responder kit (With box, bite sticks, stiff neck collars-various sizes, gauzes, multi-trauma dressings, flexible splints, restraints, bandages, tapes dermical, latex gloves, masks-CPR, triage ribbons of various colours, masks, sponges, scissors disinfectants, oxygen canula, air-way oral etc).	21
20	Oxygen cylinder 680L (Oxydose, light weight with accessories)	21

21.	Nylon Rope- 1” dia. 100m roll	35
22	Stretcher- folding canvas superior.	34
23	Fire Extinguisher- Carbon di-oxide	12
24	Portable Generator- 2500 watt standard.	08
25	Chain Saw (gas or electric) (18 inch- 45 cm minimum for cutting RCC and other wide range of materials, masonry bricks, stones, abrasive materials etc).	02
26	Chipping hammer(115 V, 10 Amp)- with adjustable bits (flat and pointed 30-45 cm) Chiseling impact rate= 900-1800 per min or more. Single impact force= 6j-25j. Power input= 1000W to 1900W. Light in weight, shock proof body. With required accessories, lubricants and electric cord of not less than 4 m in length with 5 amp. Three/two pin plug. Noise rate= not more than 120 db. With protective carry case.	04
27	Come along rescue type (1400 Kg capacity)- (Come along system should be of steel or hard aluminum alloy consisting three major parts i.e, base, mast & boom to provide safe secure anchorage for confined space entry, exit and rescue work, completely collapsible and portable for easy transportation, corrosion resistant, easy to assemble and dismantle without any tools, EN standard or certification from NABL approve lab for safety factor)	04
28	Reciprocating saw with wood & metal cutting blades- (Rated power – 600W to 800W at 220-240 volts, stroke rate at no load- not less than 2400/min, stroke length- not less than 28mm, cutting depth(wood)- not less than 165mm, cutting depth(steel sheet)- not less than 20mm with required accessories, carrying case and spare blades).	04
29	Rotary Rescue Saw- (Light weight, shock proof body, electrical cord of not less than 5 mtr with 5 amp three/two pin plug. With compatible drill bit of 30 cm length- 2 Nos. with protective carry case. Chisel adjustment- 36 position(min), impact rate- 0-4500, Power input- 600w to 800w.	04
30	Ramset with foot pump- (Max. working pressure: 630 to 720 bar, max. spreading force 1st plunger >20T, 2nd plunger >8 T, length retracted <60cm, Total stroke >70 cm, Max. length including cross heads <130 cm, weight ready for use <20 Kg, Temperature reach - 20° + 60° C, Safety factor tool hydraulic - 2 , safety factor extension hoses – 4, spare hose(s) not less than 2 mtrs, maintenance set, cross head, ram support, hand pump operating pressure – 630 to 720 bar, weight ready for use – 11.2 Kg, Temperature reach - 20° + 60° C, maintenance set. Equipment must conform to prEN 13204 and/or NFPA 1936 standards for hydraulic tools and certification will be submitted with tender).	02
31	Camming devices (prusik loop)	04
32	Cribbing & wedge kit sets with containers	02
33	Water jell blankets (8’x6’)- (Appearance- Off-white, translucent, Odor-characteristic Specific gravity- 0.988-1.046, PH- 4.0 – 6.0. Unique multi-purpose product for emergency burn care and fire protection. Size 8’x6’. The packing is as follows: blanket inner bag- extruded polyethylene; knife cut mark on top at each side of bag. Canister- High density polyethylene.	08
34	Set of two blankets(disposable)	04

Sd/-

Inspector General of Police,
Aux. Police/HG & CD,
J&K Jammu.